

# 600A/600B

Non-Contact Wide-Angle Fundus Viewing System

A wide and sharp surgical field of view guarantees the success of vitreoretinal surgery






# MediWorks Non-Contact Wide-Angle Fundus Viewing System

- ★ Comprises a 600B Fundus Viewing System and a 600A StereOptic Inverter integrated with a 532nm laser filter.
- ★ Specially crafted for retina surgeons to precisely seize every detail of the fundus, allowing them to handle various vitreoretinal surgeries effortlessly.


# **600B Fundus Viewing System**

# Wide-angle, high-definition and stereoscopic imaging

- ★ A super-wide vitreoretinal surgical field of view reaching up to 130° allows surgeons to catch sight of the retina near the ora serrata.
- ★ Ultra-high-resolution coaxial imaging offers a strong stereoscopic perception without any distortion or aberration at the periphery.



# Large focusing range and sufficient operating space




★ The rotary focusing knob with a large focusing range is conducive to fine adjustment, enabling precise focusing on the posterior segment in the course of the operation.




★ The 360° horizontally rotatable lens holder, coupled with the optional 13mm small-diameter wide-angle lens, assures surgeons of having sufficient operating space.

# Safety, efficiency and cost-effectiveness


★ Non-contact design avoids corneal irritation, damage and infection, etc.



★ There is no necessity to manually hold or frequently replace lenses during the surgery, liberating the operational burden of the surgeon and the assistant, enhancing the fluency and efficiency of the surgery.



★ As the titanium alloy lens holder and the lenses are both autoclavable and the image quality won't decline after repeated uses, thus making it a cost-effective choice.



# Three options fulfill various requirements of vitreoretinal surgeries

### Wide-angle

★ Enables a clear view of the widest retina range from the posterior pole to the ora serrata.



### Small-diameter wide-angle

- ★ Small-diameter design is suitable for patients with small pupils or deep-seated eyes, and children.
- ★ The highly peripheral retina can be clearly observed.





#### Mid-field

- ★ Provides the clearest stereoscopic view of the macular area.
- ★ The retina close to equator can also be sighted.









## The built-in laser filter safeguards surgeons' eyes

★ The elaborately built-in 532nm laser filter blocks the harm of laser reflection from the fundus, providing ultimate protection for surgeons' eyes.



# Single-lens inversion for an effortless fundus viewing

★ The StereOptic Inverter realizes single-lens inversion to create a upright image, perfectly suiting the habits of retina surgeons and making fundus veiwing effortless.



### Ergonomically designed

★ The laser filter is built in the ultrathin inverter lens and adds no extra height to the eyepiece of microscope, which won't affect surgeons' operating comfort at all.

# **Specifications**

#### Performance parameters of fundus viewing system

Model	Wide-angle	Small-diameter wide-angle	Mid-field	
Field of View	100° / 130°	95° / 115°	70° / 90°	
Magnification	0.4X	0.43X	1X	
Diameter	18 mm	13 mm	13 mm	

# **MediWorks' Ophthalmic Microsurgery Products**

### Empower you to embark on the journey of successful ophthalmic surgery

SM621 Ophthalmic surgical microscope	600A StereOptic Inverter	600B Fundus viewing system
	was fater O	
<ul> <li>Cutting-edge optic design</li> <li>Bright and stable red reflex</li> <li>Motorized stepless zoom system</li> <li>Status display screen</li> </ul>	<ul> <li>The built-in laser filter safeguards surgeons' eyes</li> <li>Single-lens inversion for an effortless fundus viewing</li> </ul>	<ul> <li>Wide-angle, high-definition and stereoscopic imaging</li> <li>Large focusing range and sufficient operating space</li> </ul>

• Ergonomically designed



• 4K high resolution video

#### Shanghai MediWorks Precision Instruments Co.,Ltd.

Add: Building 7, Ming Pu Plaza, No. 3279, San Lu Rd, Min Hang District, Shanghai, 201100, China Tel: +86-21-54260421 54260423 Email: marketing@mediworks.biz



• Safety, efficiency and cost-effectiveness